

The Auk

A Quarterly Journal of Ornithology

EDITOR


ROBERT M. MENGEL

ASSOCIATE EDITOR

MARION ANNE JENKINSON

EDITORIAL ASSISTANTS

JEROME A. JACKSON, GARY D. SCHNELL, JOHN L. TATSCHL



VOLUME 84

PUBLISHED BY

The American Ornithologists' Union

1967

DATES OF ISSUE OF "THE AUK"

VOL. 84, No. 1—22 MARCH 1967

VOL. 84, No. 2—8 JUNE 1967

VOL. 84, No. 3—31 JULY 1967

VOL. 84, No. 4—15 NOVEMBER 1967

SUPPLEMENT—15 NOVEMBER 1967

CONTENTS OF VOLUME 84

NUMBER 1

BOBWHITE	frontispiece, facing p.	1
BEHAVIOR OF THE BOBWHITE, <i>COLINUS VIRGINIANUS</i> . Allen W. Stokes		1
PHYSIOLOGICAL RESPONSES OF THE BLUE-THROATED AND RIVOLI'S HUMMINGBIRDS. Robert C. Lasiewski and Richard J. Lasiewski		34
ON THE SIERRA MADRE SPARROW, <i>XENOSPIZA BAILEYI</i> , OF MEXICO. Robert W. Dickerman, Allan R. Phillips, and Dwain W. Warner		49
MOLT IN THE ADELIE PENGUIN. R. L. Penney		61
RESPONSES OF BROODING NIGHTHAWKS TO A DISTURBANCE STIMULUS. Anthony F. Gramza		72
SELECTION AND USE OF DRUMMING SITES BY MALE RUFFED GROUSE. Gordon W. Gullion		87
GENERAL NOTES		
Wild Turkeys (<i>Meleagris gallopavo</i>) with supernumerary leg spurs. Lovett E. Williams, Jr.		113
Cock pheasants rout Marsh Hawk. John P. Weigand		114
A specimen of the Golden-cheeked Warbler from Florida. Glen E. Woolfenden		115
Fossil owls from the Hagerman local fauna (Upper Pliocene) of Idaho. Norman L. Ford and Bertram G. Murray, Jr.		115
Notes on the interspecific behavioral relationships of marsh-nesting passerines. Mary F. Willson		118
Aggressive behavior by a migrating Cape May Warbler. Herbert W. Kale, II		120
Notes on hatching and growth of the Southern Lapwing in Chile. J. K. Greer and Marjorie Greer		121
Diving schedules of a Common Loon and a group of Oldsquaws. Paul A. Stewart		122
A 36-year-old wild Herring Gull. Olin Sewall Pettingill, Jr.		123
Observations on embryos of Common Loons. Robert Lister		124
A flight-time integrator for birds. Eugene A. LeFebvre, Richard C. Birkebak, and Frank D. Dorman		124
Another record of active molt in passerine birds. Larry L. Wolf		128
Organisms consumed by various migrating shorebirds. William S. Brooks		128

The incubation period of the Hawaiian stilt. <i>Andrew J. Berger</i>	130
The eggs and nesting ground of the Puna Plover. <i>Gunnar Hoy</i>	130
"Resting" heart and respiratory rates of small birds. <i>R. Alan Lewis</i>	131
Migrant races of Western Wood Pewee in Utah. <i>William H. Behle</i>	133
REVIEWS. <i>Edited by Kenneth C. Parkes</i>	135
SPECIAL REVIEW: THE NEW DICTIONARY OF BIRDS AND THE PROPOSED WORLD LIST. <i>Oliver L. Austin, Jr.</i>	142
RECENT LITERATURE. <i>Edited by Glen E. Woolfenden</i>	147
NOTES AND NEWS	165

NUMBER 2

BLACK CHACHALACA	frontispiece, facing p. 169
NOTES ON THE BLACK CHACHALACA (<i>PENELOPINA NIGRA</i>). <i>Robert F. Andrie</i>	169
ENVIRONMENTAL INFLUENCE ON THE INCIDENCE OF FLIGHT IN THE ROUGH-LEGGED HAWK. <i>Gary D. Schnell</i>	173
SOME OBSERVATIONS AND COMMENTS ON THE PERIODIC INVASIONS OF GOSHAWKS. <i>Helmut C. Mueller and Daniel D. Berger</i>	183
IN MEMORIAM: ALDEN HOLMES MILLER. <i>John Davis</i>	192
AN ELECTROPHORETIC STUDY OF AVIAN EYE-LENS PROTEINS. <i>Charles G. Sibley and Alan H. Brush</i>	203
OBSERVATIONS ON THE BREEDING BIOLOGY OF WILSON'S PHALAROPE (<i>STEGANOPUS TRICOLOR</i>) IN CENTRAL ALBERTA. <i>E. Otto Höhn</i>	220
PROCEEDINGS OF THE EIGHTY-FOURTH STATED MEETING OF THE AMERICAN ORNITHOLOGISTS' UNION. <i>L. Richard Mewaldt, Secretary</i>	245
GENERAL NOTES	
Age of fossil birds from the greensands of New Jersey. <i>Donald Baird</i>	260
Evening Grosbeak attacks House Sparrow. <i>Charles D. Babcock</i>	263
The Wattled Crane in Ethiopia. <i>Emil K. Urban and Lawrence H. Walkinshaw</i>	263
Photoperiod and size of testes of Eastern Meadowlarks. <i>Philip H. Darst and Dale Hein</i>	265

Mobbing of a Chuck-will's-widow by small passerines. <i>Robert W. Ficken, Millicent S. Ficken, and Elizabeth S. Hadaway</i>	266
Bilateral gynandris in an Evening Grosbeak. <i>Roxie C. Laybourne</i>	267
The distribution of the Cerulean Warbler in the Province of Quebec, Canada. <i>Henri Ouellet</i>	272
A case of polygamy in the Black-capped Chickadee. <i>Susan M. Smith</i>	274
Occurrence of <i>Vireo bellii medius</i> in southern Mississippi. <i>Thomas D. Burleigh</i>	274
Sexual dimorphism in juvenile House Sparrows. <i>Richard F. Johnston</i>	275
Sandhill Cranes and other birds from Bering Strait, Alaska. <i>W. J. Breckenridge and David Cline</i>	277
Cory's Shearwaters (<i>Puffinus diomedea borealis</i>) off eastern Florida. <i>Frederrick H. Lesser and Lovett E. Williams, Jr.</i>	278
An addition to the avifauna of the United States: <i>Myiarchus stolidus sagrae</i> . <i>Merriam L. Miles</i>	279
REVIEWS. <i>Edited by Kenneth C. Parkes</i>	280
RECENT LITERATURE. <i>Edited by Glen E. Woolfenden</i>	288
NOTES AND NEWS	305
OBITUARIES	305
CORRESPONDENCE	307

NUMBER 3

MIGRATORY ORIENTATION IN THE INDIGO BUNTING, <i>PASSERINA CYANEA</i> . PART I: EVIDENCE FOR USE OF CELESTIAL CUES. <i>Stephen T. Emlen</i>	309
SOME ALLOPATRIC SPECIES PAIRS OF BIRDS IN NORTHWESTERN COLOMBIA. <i>Jürgen Haffer</i>	343
NOTES ON THE WINTER DISTRIBUTION OF BIRDS IN THE WESTERN ANTARCTIC AND ADJACENT PACIFIC WATERS. <i>Laszlo J. Szijj</i>	366
COMPARATIVE SURVEY OF THE ANAL GLANDS OF BIRDS. <i>W. B. Quay</i>	379
DAY AND NIGHT CHANGES IN BODY WEIGHT OF THE WHITE-THROATED SPARROW, <i>ZONOTRICHIA ALBICOLLIS</i> . <i>John E. Kontogiannis</i>	390
A QUANTITATIVE ANALYSIS OF BREEDING BEHAVIOR IN THE AFRICAN VILLAGE WEAVERBIRD. <i>Nicholas E. Collias and Elsie C. Collias</i>	396
REPORT OF THE COMMITTEE ON BIRD PROTECTION, 1966	412

GENERAL NOTES

Autumnal breeding of the Paraguay Snipe in Uruguay. <i>Jon C. Barlow</i>	421
Cowbird removes warbler nestling from nest. <i>James Tate, Jr.</i>	422
A predator-decoy method for capturing insectivorous birds. <i>Richard B. Root and Ruth M. Yarrow</i>	423
Fulvous Tree Duck observed in the southern Sargasso Sea. <i>George E. Watson</i>	424
Occurrence of the Saw-whet Owl in Florida. <i>Frederick H. Lesser and Allen R. Stickley, Jr.</i>	425
Recent wintering records of the Kirtland's Warbler. <i>Margaret H. Hundley</i>	425
Polynesian rat predation on nesting Laysan Albatrosses and other Pacific seabirds. <i>Cameron B. Kepler</i>	426
Turkey Vultures attack living prey. <i>Helmut C. Mueller and Daniel D. Berger</i>	430
Main arteries in the neck and thorax of three sun grebes (Heliornithidae). <i>Fred H. Glenny</i>	431
Ferruginous Hawk attacks Great Horned Owl. <i>John P. Weigand</i>	433
REVIEWS. <i>Edited by Kenneth C. Parkes</i>	434
RECENT LITERATURE. <i>Edited by Glen E. Woolfenden</i>	444
NOTES AND NEWS	462

NUMBER 4

MIGRATORY ORIENTATION IN THE INDIGO BUNTING, <i>PASSERINA CYANEA</i> . PART II: MECHANISM OF CELESTIAL ORIENTATION. <i>Stephen T. Emlen</i>	463
COMPETITIVE RELATIONSHIPS BETWEEN PARULA WARBLERS AND OTHER SPECIES DURING THE BREEDING SEASON. <i>Douglass H. Morse</i> ..	490
RELATIONSHIPS BETWEEN BLACK-EARED AND PLAIN-EARED FORMS OF BUSHTITS (<i>PSALTRIPARUS</i>). <i>Ralph J. Raitt</i>	503
ON THE SYSTEMATIC POSITION OF THE BOAT-BILLED HERON. <i>Joel Cracraft</i>	529
AN INTERGENERIC HYBRID WOOD WARBLER (<i>SEIURUS</i> \times <i>DENDROICA</i>). <i>Lester L. Short, Jr., and Chandler S. Robbins</i>	534
COURTSHIP OF THE REDHEAD (<i>AYTHYA AMERICANA</i>). <i>Milton W. Weller</i>	544

RELATIVE GROWTH, BODY CONSTITUENTS, AND ENERGY CONTENT OF NESTLING BARN SWALLOWS AND RED-WINGED BLACKBIRDS. <i>Robert E. Ricklefs</i>	560
YAWNING AND OTHER MAINTENANCE ACTIVITIES IN THE SOUTH AFRICAN OSTRICH. <i>E. G. Franz Sauer and E. M. Sauer</i>	571
GENERAL NOTES	
Canvasback male participating in a Redhead courtship party. <i>Richard L. Timken</i>	588
Water sources of the Long-billed Marsh Wren in Georgia salt marshes. <i>Herbert W. Kale, II</i>	589
Records of four species of <i>Pterodroma</i> from the central Pacific Ocean. <i>Patrick J. Gould and Warren B. King</i>	591
<i>Agapornis fischeri</i> , <i>Lybius guifsobalito</i> , and <i>Stiphornis erythrothorax</i> in Kenya. <i>Dale A. Zimmerman</i>	594
Foraging behavior of the Double-toothed Kite in association with white- faced monkeys. <i>Jon S. Greenlaw</i>	596
Breeding behavior of the Roadrunner, <i>Geococcyx californianus</i> . <i>William A. Calder</i>	597
Occurrence and nesting of the Hook-billed Kite (<i>Chondrohierax uncinatus</i>) in Texas. <i>Raymond J. Fleetwood and John L. Hamilton</i>	598
Interactions of a crow and a fledgling cowbird. <i>Millicent S. Ficken</i>	601
Rock Wren in Ontario. <i>Joanna Burger and Richard Brownstein</i>	602
Comparison of nesting sites of Bald Eagles in central Florida from 1930 to 1965. <i>Joseph C. Howell and George M. Heinzman</i>	602
An interesting case of mortality in the Gouldian Finch. <i>Harrison B. Tordoff</i>	604
REVIEWS. <i>Edited by Kenneth C. Parkes</i>	606
RECENT LITERATURE. <i>Edited by Glen E. Woolfenden</i>	616
CORRESPONDENCE	634
NOTES AND NEWS	635
INDEX TO VOLUME 84. <i>Compiled by Marion Anne Jenkinson</i>	637

SUPPLEMENT

AMERICAN ORNITHOLOGISTS' UNION 1967 MEMBERSHIP DIRECTORY



INDEX TO VOLUME 84

Compiled by Marion Anne Jenkinson

This index is primarily one to new information. Previously published information, which has been referred to in this volume, has not been indexed unless extensive comparisons or reinterpretations were involved. Also not indexed are the various species of birds mentioned in the Report of the Committee on Bird Protection (pp. 412-420). For some species, especially ones not in the A.O.U. Check-list area, scientific names only have been entered, and in some instances entries under scientific names are more extensive than those under vernacular names. New generic, specific, and subspecific names are printed in **boldface** type.

- Accipiter
 - cooperii, 384
 - gentilis, 183-191
 - striatus, 431
 - tachiro, 408
- Accipitridae, 215
- Adamastor cinereus, 366-378
- Aechmophorus occidentalis, 384
- Aegolius acadicus, 425
- Agapornis fischeri, 594
- Age groups, see Sex and—
- Agelaius phoeniceus, 118-120, 380-385, 560-570
- Aix sponsa, 384
- Alabama, 279
- Alaska, 277-278
- Albatross,
 - Black-browed, 366-378
 - Gray-headed, 366-378
 - Laysan, 426-430
 - Light-mantled Sooty, 366-378
 - Royal, 366-378
 - Wandering, 366-378
- Alberta, 220-244
- Aldrich, John W., review by, 434-435
- Alectoris chukar, 27
- Amazilia verticalis, 37-46
- American Ornithologists' Union,
 - Brewster Memorial Award, 245-246
 - Committees, 256-257
 - Membership List, Suppl.
 - Officers and officials, 255-256
 - Proceedings of the Eighty-fourth Stated Meeting, 245-259
 - Report of the Committee on Bird Protection, 412-420
 - Treasurer's report, 257-259
- Anas
 - acuta, 384
 - platyrhynchos, 212
- Anatidae, 384-387
- Anatomy (see also Anomalies, Fossils, and Embryology),
 - anal glands (many spp.), 379-389
 - arteries (Heliornithidae), 431-432
 - gonads (Hesperiphona vespertina), 270-271
 - postcranial skeleton (Cochlearius and various ardeids), 529-533
 - salt glands (Telmatodytes palustris), 589-591
- Anatomy and embryology, recent literature on, 147, 288, 444, 616
- Andrle, Robert F., Notes on the Black Chachalaca (Penelopina nigra), 169-172
- Ani, 384-387
- Annotated lists, see Distribution and—
- Anomalies,
 - Hesperiphona vespertina, 267-272
 - Meleagris gallopavo, 113-114
- Anous stolidus, 430
- Anser
 - albifrons, 277
 - caerulescens, 135
- Anseriformes, 214
- Antarctic Ocean, 366-378
- Anthus
 - cervinus, 278
 - spinoletta, 278
- Arachnothera longirostra, 385
- Aramides
 - cajanea, 345
 - wolffi, 345

- Archilochus alexandri*, 37-46
- Arenaria*
 interpres, 277
 melanocephala, 384
- Arizona, 503-528
- Asio
 brevipes, 116-117
 flammeus, 278
- Austin, Oliver L., Jr., The new dictionary of birds and the proposed world list, 142-146
- Aythya*
 affinis, 588
 americana, 544-559, 588
 valisineria, 544-558, 588
- Babcock, Charles D., Evening Grosbeak attacks House Sparrow, 263
- Bahama Islands, 425-426
- Baird, Donald, Age of fossil birds from the greensands of New Jersey, 260-262
- Barbet, Black-billed, 594-595
- Barlow, Jon C., Autumnal breeding of the Paraguay Snipe in Uruguay, 421-422
- Behavior, recent literature on, 147-150, 288-290, 444-446, 616-618
- Behavior (see also Food and feeding habits, Territoriality, and Vocalizations),
 aggressive, 120-121, 263, 266-267, 423-424, 433, 582-583, 601-602
 agonistic, 5-11
 alarm, 4-5
 antiphonal singing, 497
 begging by young, 601-602
 breeding, 69-70, 225-236, 241-242, 396-411
 competitiveness, 490-502
 courtship, 544-559, 588, 597-598
 diversionary, 72-86
 drumming, 87-112
 flight, 173-182
 head scratching, 604-605
 maintenance, 2-4, 236-238, 571-587
 parental, 16-17
 sexual, 12-16
 social, 28-31
 technique for measuring flight time, 124-128
 yawning, 571-587
- Behavior of (see also Food and feeding habits, Territoriality, and Vocalizations),
 Alectoris chukar, 27
 Aythya americana, 544-559, 588
 A. valisineria, 588
 Bonasa umbellus, 87-112
 Buteo lagopus, 173-182
 B. regalis, 433
 Caprimulgus carolinensis, 266-267
 Cathartes aura, 430-431
 Chordeiles minor, 72-86
 Colinus virginianus, 1-33
 Corvus brachyrhynchos, 601-602
 Dendrocopos pubescens, 266
 Dendroica dominica, 266-267
 D. pinus, 266-267
 D. tigrina, 120-121
 Fregata minor, 308
 Geococcyx californianus, 597-598
 Harpagus bidentatus, 596-597
 Hesperiphona vespertina, 263
 Lophortyx californicus, 15
 Mniotilta varia, 266-267
 Molothrus ater, 601-602
 Parus bicolor, 266-267
 P. carolinensis, 266-267
 Penelopina nigra, 170-172
 Phasianus colchicus, 15
 Pipilo erythrophthalmus, 266-267
 Poephila gouldiae, 604-605
 Polioptila caerulea, 266-267, 423-424
 Pygoscelis adeliae, 69-70
 Seiurus aurocapillus, 266-267
 Setophaga ruticilla, 423-424
 Steganopus tricolor, 225-242
 Struthio camelus, 571-587
 Sula bassana, 307-308
 Textor cucullatus, 396-411
 Xenospiza baileyi, 59
- Behle, William H., Migrant races of Western Wood Pewee in Utah, 133-134
- Belanopteris chilensis*, 121-122
- Berger, Andrew J., The incubation period of the Hawaiian stilt, 130
- Berger, Daniel D., see Mueller, Helmut C., and—

- Birkebak, Richard C., see LeFebvre, Eugene A., et al.
- Bioenergetics,
 Agelaius phoeniceus, 560-570
 Eugenes fulgens, 34-48
 Hirundo rustica, 560-570
 Lampornis clemenciae, 34-48
 Larus argentatus, 568
 Textor cucullatus, 396-411
 Zonotrichia albicollis, 390-395
- Biology, general, recent literature on,
 156-161, 296-298, 454-457, 625-627
- Blackbird, Red-winged, 118-120, 380, 385,
 560-570
- Bluthroat, 278
- Bobwhite, 1-33
- Bock, Walter J., review by, 138-140
- Body components,
 Agelaius phoeniceus, 560-570
 Hirundo rustica, 560-570
- Bonasa umbellus, 87-112, 185-186
- Boobie, Blue-faced, 428
- Branta
 canadensis, 277
 c. hutchinsi, 135
 c. parvipes, 135
- Breckenridge, W. J., and David Cline,
 Sandhill Cranes and other birds from
 Bering Strait, Alaska, 277-278
- Breeding (see also Behavior, Clutch size,
 Eggs, Fledging, Incubation, Nests,
 Nesting success),
 Capella paraguaiae (autumnal), 421-
 422
- Chondrohierax uncinatus* (in United
 States), 598-601
- Psaltriparus* (family groups), 513-514
- Pygoscelis adeliae* (and molt), 66-68
- Steganopus tricolor* (general study),
 220-244
- Textor cucullatus* (energy requirements),
 396-411
- Brooks, William S., Organisms consumed
 by various migrating shorebirds, 128-
 130
- Brownstein, Richard, see Burger, Joanna,
 and—
- Brush, Alan H., see Sibley, Charles G.,
 and—
- Bubo virginianus*, 212, 433, 603
- Bugeranus carunculatus*, 263-264
- Bunting, Indigo, 309-342, 463-489
- Burger, Joanna, and Richard Brownstein,
 Rock Wren in Ontario, 602
- Burleigh, Thomas D., Occurrence of *Vireo*
 bellii medius in southern Mississippi,
 274
- Bushtit, 503-528
- Buteo
 jamaicensis, 212
 lagopus, 173-182
 regalis, 433
 swainsoni, 384
- Cahalane, Victor H., see American Or-
 nithologists' Union, Report of the
 Committee on Bird Protection
- Calcarius lapponicus*, 277
- Calder, William A., Breeding behavior of
 the Roadrunner, *Geococcyx cali-
 fornianus*, 597-598
- Calidris canutus*, 278
- Calypte anna*, 384
- Camarhynchus* sp., 385
- Campylorhynchus rufinucha*, 385
- Canvasback, 544-558, 588
- Capella
 gallinago, 128-130, 278
 (*gallinago*) *paraguaiae*, 421-422
- Caprimulgiformes*, 214
- Caprimulgus carolinensis*, 266-267
- Carpodectes
 hopkei, 359
 nitidus, 359
- Catbird, 131-132, 423
- Catharacta
 skua chilensis, 366-378
 s. lonnbergi, 366-378
- Cathartes aura*, 384, 430-431
- Central America, 343-365
- Centropelma micropteron*, 384
- Chachalaca, Black, 169-172
- Chaetura vauxi*, 384
- Chamaea fasciata*, 385
- Chamaepetes*, 361-362
- Charadriiformes*, 214
- Charadrius
 alticola, 130-131
 wilsonia, 212
- Chen hyperborea, 278

- Chickadee,
 Black-capped, 274, 423, 496
 Carolina, 266-267, 498
Chicken, domestic, 206-207
Chile, 121-122, 130-131
Chlidonias niger, 220-221
Chondrohierax uncinatus, 598-601
Chordeiles minor, 72-86
Chuck-will's-widow, 266-267
Chukar, 27
Ciconiiformes, 214
Cinclus mexicanus, 385
Circus cyaneus, 114, 278
Clangula hyemalis, 122-123, 384
Cline, David, see Breckenridge, W. J.,
 and—
Clutch size (see also Breeding),
 Capella paraguayae, 421-422
 Geococcyx californianus, 598
 Himantopus himantopus knudseni, 130
Cochlearius cochlearius, 529-533
Colaptes auratus, 131-132
Coliiformes, 214
Colinus virginianus, 1-33
Collias, Elsie C., see Collias, Nicholas E.,
 and—
Collias, Nicholas E., and Elsie C. Collias,
 A quantitative analysis of breeding
 behavior in the African Village
 Weaverbird, 396-411
Colorado, 275-277
Columba livia, 215, 384, 431
Columbia, 343-365
Columbiformes, 214
Columbigallina
 minuta, 384
 passerina, 384
 talpacoti, 384
Conservation, see Management and—
Contopus
 sordidulus amplus, 133-134
 s. saturatus, 133-134
 s. siccicola, 133-134
 s. veliei, 133-134
Cooch, F. G., review by, 135-138
Coraciiformes, 214
Corvus brachyrhynchos, 384-388, 601-
 602
Cotinga
 amabilis, 359
 nattererii, 359
Cowbird, Brown-headed, 422, 601-602
Cracraft, Joel, On the systematic position
 of the Boat-billed Heron, 529-533
Crane,
 Sandhill, 277-278
 Wattled, 263-264
Crax
 alberti, 345-348, 357-362
 alector, 347
 blumenbachi, 347
 daubentoni, 346-347, 361
 fasciolata, 347
 globulosa, 346-347, 361
 rubra, 345-348, 357-362
 r. rubra, 346-348
Crotophaga sp., 384-387
Crow, Common, 384-388, 601-602
Crypturellus sp., 384
Cuculiformes, 214
Curassow,
 Blue-knobbed, 346-348, 357-362
 Crestless, 347-348
 Great, 346-348, 357-362
 Salvin's, 347-348
Cyanerpes
 caeruleus, 345
 lucidus, 345
Cyanocitta cristata, 131-132, 205-214
Daption capensis, 366-378
Darst, Philip H., and Dale Hein, Photo-
 period and size of testes of Eastern
 Meadowlarks, 265
Davis, John, In memoriam: Alden Holmes
 Miller, 192-202
Delacour, Jean, Guide des oiseaux de la
 Nouvelle-Calédonie et ses dépendances
 (rev.), 281-282; The waterfowl of
 the world, vol. 4 (rev.), 135-138
Dendrocopos pubescens, 266
Dendrocoryna bicolor, 424
Dendroica
 caerulescens, 120
 cerulea, 272-274
 chrysoparia, 115, 539-540
 coronata, 120, 494-501
 dominica, 266-267
 fusca, 494-501, 539-540
 kirtlandii, 425-426
 magnolia, 494-501

- palmarum, 120, 537, 539-540
pennsylvanica, 539-540
petechia, 120
pharetra, 539-540
pinus, 266-267
plumbea, 539-540
striata, 120, 534-543
tigrina, 120-121, 534-542
virens, 422, 494-501
Diatryma (Barornis) regens, 261-262
Dickerman, Robert W., reviews by, 282-283, 440-441
Dickerman, Robert W., Allan R. Phillips, and Dwain W. Warner, On the Sierra Madre Sparrow, *Xenospiza baileyi*, of Mexico, 49-60
Dimorphism, sexual,
hummingbirds, 38-39
Passer domesticus (juvenals), 275-277
Psaltiriparus, 506-528
Diomedea
chrysostoma, 366-378
epomophora, 366-378
exulans, 366-378
immutabilis, 426-430
melanophris, 366-378
Diseases and parasites, recent literature on, 290-291, 446-450, 618
Distribution and annotated lists, recent literature on, 150-152, 292-293, 450-451, 618-622
Distribution of,
Agapornis fischeri, 594
Asio (fossil), 117
Bugeranus carunculatus, 263-264
Chondrohierax uncinatus, 598-601
Contopus sordidulus subsp., 133-134
Crax alberti, 346-348
C. rubra, 346-348
Dendrocygna bicolor, 424
Dendroica cerulea, 272-274
D. chrysoparia, 115
D. kirtlandii, 425-426
Lybius guifobalito, 594-595
Myiarchus stolidus, 279
Pipra erythrocephala, 349-351
P. mentalis, 349-351
Psaltiriparus, 503-528
Pterodroma a. arminjoniana, 593-594
P. a. heraldica, 593-594
P. neglecta, 591-593
P. r. rostrata, 591-592
P. ultima, 591-593
Puffinus diomedea, 278-279
Rhynchocyclus brevirostris, 354-355
R. olivaceus, 354-355
Salpinctes obsoletus, 602
Speotyto megalopeza (fossil), 116
Stiphornis erythrothorax, 595
various Central and South American forms, 343-365
various Pacific Ocean species, 366-378
Vireo bellii medius, 274
Dorman, Frank D., see LeFebvre, Eugene A., et al.
Dove, Rock, 431
Dowitcher, Long-billed, 277-278
Duck, Fulvous Tree, 424
Dumetella carolinensis, 131-132, 423
Dunlin, 128-130, 277
Eagle, Bald, 602-603
Eastman, William R., Jr., and Alexander C. Hunt, The parrots of Australia (rev.), 442-443
Eckelberry, Don R., obituary of William H. Partridge, 305-306
Ecology and population, recent literature on, 152-156, 293-295, 451-454, 622-624
Eggs, descriptions and measurements,
Charadrius alticola, 130-131
Xenospiza baileyi, 55
Eisenmann, E., review by, 281-282
Elanus leucurus, 384
Electrophoresis, eye-lens proteins, 203-219
Embryology (see also Anatomy and—),
anal glands, 387
Gavia immer, 124
Emlen, John T., review by, 441-442
Emlen, Stephen T., Migratory orientation in the Indigo Bunting, Passerina cyanea. Part I: Evidence for use of celestial cues, 309-342; Part II: Mechanism of celestial orientation, 463-489
Empidonax flaviventris, 131-132
Endocrinology, Steganopus tricolor, 241-242
Eremophila alpestris, 277

- Ereunetes
mauri, 277, 383-384
pusillus, 128-130
- Erolia
alpina, 128-130, 277
bairdii, 277
melanotos, 128-130, 277
minutilla, 128-130
ptilocnemis, 277
- Ethiopia, 263-264
- Eugenes fulgens, 34-48
- Evolution and genetics, recent literature
on, 156, 295-296, 625
- Falconiformes, 214
- Ficken, Millicent S., review by, 439-440; Interactions of a crow and a fledgling cowbird, 601-602; see Ficken, Robert W., et al.
- Ficken, Robert W., Millicent S. Ficken, and Elizabeth S. Hadaway, Mobbing of a Chuck-will's-widow by small passerines, 266-267
- Finch, Gouldian, 604-605
- Fisher, James, The Shell bird book (rev.), 612-613
- Flatbill,
Eye-ringed, 354-362
Olivaceous, 354-362
- Fledging period (see also Breeding),
Geococcyx californianus, 598
- Flicker, Yellow-shafted, 131-132
- Fleetwood, Raymond J., and John L. Hamilton, Occurrence and nesting of the Hook-billed Kite (*Chondrohierax uncinatus*) in Texas, 598-601
- Flight (see also Wing-beat frequencies),
Buteo lagopus, 173-182
technique for studying, 124-128
- Florida, 113-114, 115, 278-279, 425, 602-603
- Flycatcher,
Stolid, 279
Yellow-bellied, 131-132
- Food and feeding habits,
Belanopterus chilensis, 121-122
Buteo lagopus, 173-182
Capella gallinago, 128-130
Clangula hyemalis, 122-123
Colinus virginianus, 20
Dendroica chrysoparia, 115
D. tigrina, 120-121
Ereunetes pusillus, 128-130
Erolia alpina, 128-130
E. melanotos, 128-130
E. minutilla, 128-130
Gavia immer, 122-123
Harpagus bidentatus, 596-597
many *parulids* (esp. *Parula americana*), 490-502
Micropalama himantopus, 128-130
Parus atricapillus, 496
P. carolinensis, 498
Pluvialis dominica, 128-130
Regulus calendula, 493-501
R. satrapa, 493-501
Sitta canadensis, 496
Steganopus tricolor, 128-130, 220-221, 236-237
Telmatodytes palustris, 589-591
Textor cucullatus, 405-407
Totanus flavipes, 128-130
T. melanoleucus, 128-130
Vireo flavifrons, 498
V. olivaceus, 498
- Ford, Norman L., and Bertram G. Murray, Jr., Fossil owls from the Hagerman local fauna (Upper Pliocene) of Idaho, 115-117
- Formicarius
analis, 345
nigricapillus, 345
- Forpus conspicillatus, 384
- Fossils,
Asio brevipes, 116-117
Diatryma (Barornis) regens, 261-262
Graculavus pumilis, 260-262
G. velox, 260-262
Laornis edwardsianus, 260-262
Palaeotringa littoralis, 260-262
P. vagans, 260-262
P. vetus, 260-262
Speotyto megalopeza, 116
Strigidae (genera indet.), 117
Telmatornis affinis, 260
T. priscus, 260-262
T. rex, 260-262
Fregata minor, 308
Frigatebird, Great, 308
Fulmarus glacialis, 366-378

- Galbula
 ruficauda, 345, 359
 (ruficauda) melanogenia, 345, 359
- Galliformes, 214
- Gallus gallus, 206-207
- Gannet, 307-308
- Gavia immer, 122-123, 124
- Genetics, see Evolution and—
- Geococcyx californianus, 597-598
- Geographic variation,
 Psaltiriparus, 503-528
 various Central and South American
 forms, 343-365
- George, J. C., and A. J. Berger, Avian
 myology (rev.), 138-140
- Geothlypis trichas, 120 (two references),
 498
- Geotrygon frenata, 384
- Gilbert, Albert E., frontisp. facing p.
 169
- Glenny, Fred H., Main arteries in the
 neck and thorax of three sun grebes
 (Heliornithidae), 431-432
- Gnatcatcher, Blue-gray, 266-267, 423-424
- Godfrey, W. Earl, The birds of Canada
 (rev.), 434-435
- Godwit, Bar-tailed, 278
- Goose,
 Canada, 277
 Emperor, 278
 Snow, 278
 White-fronted, 277
- Gorsachius melanolophus, 529-533
- Goshawk, 183-191
 African, 408
- Gould, Patrick J., and Warren B. King,
 Records of four species of Pterodroma
 from the central Pacific Ocean, 591-
 594
- Grackle, Common, 118
- Graculavus
 pumilis, 260-262
 velox, 260-262
- Gramza, Anthony F., Responses of brood-
 ing nighthawks to a disturbance
 stimulus, 72-86
- Grebe, Red-necked, 278
- Greenlaw, Jon S., Foraging behavior of
 the Double-toothed Kite in associa-
 tion with white-faced monkeys, 596-
 597
- Greer, J. K., and Marjorie Greer, Notes
 on hatching and growth of the
 Southern Lapwing in Chile, 121-
 122
- Greer, Marjorie, see Greer, J. K., and—
- Grosbeak, Evening, 263, 267-272
- Grossman, Mary Louise, and John Ham-
 let, Birds of prey of the world (rev.),
 437-439
- Grouse, Ruffed, 87-112, 185-186
- Gruiformes, 214, 432
- Grus c. canadensis, 277-278
- Gull,
 Herring, 123, 568
 Sabine's, 278
- Gullion, Gordon W., Selection and use
 of drumming sites by male Ruffed
 Grouse, 87-112
- Gymnorhinus cyanocephalus, 385
- Gymnostinops
 cassini, 345
 guatimozinus, 345, 359
 montezuma, 359
- Gynandrium, Hesperiphona vespertina,
 266-267
- Hadaway, Elizabeth S., see Ficken, Robert
 W., et al.
- Haematopus bachmani, 384-387
- Haffer, Jürgen, Some allopatric species
 pairs of birds in northwestern Co-
 lombia, 343-365
- Haliaeetus leucocephalus, 602-603
- Halobaena caerulea, 366-378
- Hamilton, John L., see Fleetwood, Ray-
 mond J., and—
- Hardy, John William, review by, 609-611
- Harpagus bidentatus, 596-597
- Hawaii, 130
- Hawk,
 Ferruginous, 433
 Marsh, 114, 278
 Rough-legged, 173-182
 Sharp-shinned, 431
- Heart rates,
 Colaptes auratus, 131-132
 Cyanocitta cristata, 131-132
 Dumetella carolinensis, 131-132
 Empidonax flaviventris, 131-132
 Eugenus fulgens, 36-37, 42

- Hylocichla mustelina*, 131-132
Lampornis clemenciae, 36-37, 42
Toxostoma rufum, 131-132
Turdus migratorius, 131-132
 Heimerdinger, Mary A., review by, 283-284
 Hein, Dale, see Darst, Philip H., and—
 Heinzman, George M., see Howell, Joseph C., and—
Heliornis fulica, 431-432
Heliornithidae, 431-432
 Heron, Boat-billed, 529-533
Hesperiphona vespertina, 263, 267-272
Heteroscelus incanum, 278
Hierophasis swinhoii, 384
Himantopus himantopus knudseni, 130
Hirundo rustica, 384, 560-570
 Höhn, E. Otto, Observations on the breeding biology of Wilson's Phalarope (*Steganopus tricolor*) in central Alberta, 220-244
 Howell, Joseph C., and George M. Heinzman, Comparison of nesting sites of the Bald Eagle in central Florida from 1930 to 1965, 602-603
 Hoy, Gunnar, The eggs and nesting ground of the Puna Plover, 130-131
 Hummingbird,
 Black-chinned, 37-46
 Blue-throated, 34-48
 Rivoli's, 34-48
 Violet-crowned, 37-46
 Hundley, Margaret H., Recent wintering records of the Kirtland's Warbler, 425-426
Hylocichla
 minima, 278
 mustelina, 131-132, 423
 Hybrids and hybridization,
 Seiurus novaboracensis × *Dendroica striata*, 534-543
 various parulids, 541-542
Hypsipetes propinquus, 384
 Idaho, 115-117
 Illinois, 173-182, 187
 Incubation period (see also Breeding),
 Belanopterus chilensis, 121-122
 Geococcyx californianus, 598
 Himantopus himantopus knudseni, 130
 Invasions, *Accipiter gentilis*, 183-191
 Ixoreus naevius, 385
 Jay, Blue, 131-132, 205-214
 Johnston, Richard F., Sexual dimorphism in juvenile House Sparrows, 275-277
Junco hyemalis, 212, 315
Junco, Slate-colored, 212, 315
 Kale, Herbert W., II, Aggressive behavior by a migrating Cape May Warbler, 120-121; Water sources of the Long-billed Marsh Wren in Georgia salt marshes, 589-591
 Kansas, 275-277
 Kelso, Leon, review by, 280-281
 Kentucky, 187
 Kenya, 594-595
 Kepler, Cameron B., Polynesian rat predation on nesting Laysan Albatrosses and other Pacific seabirds, 426-430
 King, Warren B., see Gould, Patrick J., and—
 Kingbird, Tropical, 607-609
 Kinglet,
 Golden-crowned, 493-501
 Ruby-crowned, 493-501
 Kite,
 Double-toothed, 596-597
 Hook-billed, 598-601
 Knot, 278
 Kontogiannis, John, Day and night changes in body weight of the White-throated Sparrow, *Zonotrichia albicollis*, 390-395
Lampornis clemenciae, 34-48
Lanius excubitor, 277
 Lanyon, Wesley E., review by, 606-609
Laornis edwardsianus, 260-262
 Lapwing, Southern, 121-122
 Lark, Horned, 277
 Larus
 argentatus, 123, 568
 occidentalis, 384
 Lasiewski, Richard J., see Lasiewski, Robert C., and—
 Lasiewski, Robert C., and Richard J.

- Lasiewski, Physiological responses of the Blue-throated and Rivoli's hummingbirds, 34-48
- Laybourne, Roxie C., Bilateral gynandris in an Evening Grosbeak, 267-272
- LeFebvre, Eugene A., Richard C. Birkebak, and Frank D. Dorman, A flight-time integrator for birds, 124-128
- Lesser, Frederick H., and Allen R. Stickley, Jr., Occurrence of the Saw-whet Owl in Florida, 425
- Lesser, Frederick H., and Lovett E. Williams, Cory's Shearwaters (*Puffinus diomedea borealis*) off eastern Florida, 278-279
- Leucoplepis thoracica, 385
- Lewis, R. Alan, "Resting" heart and respiratory rates of small birds, 131-132
- Limnodromus
griseus, 384
scolopaceus, 277-278
- Limnithlypis swainsonii, 498
- Limosa lapponica, 278
- Linduska, Joseph H. (ed.), Waterfowl tomorrow (rev.), 284-286
- Lister, Robert, Observations on embryos of Common Loons, 124
- Lobipes lobatus, 227-242, 277
- Longevity, *Larus argentatus*, 123
- Longspur, Lapland, 277
- Loon, Common, 122-123, 124
- Lophortyx californicus, 384
- Louisiana, 490-502
- Lovebird, Fischer's, 594
- Luscinia svecica, 278
- Lybius
guifsobalito, 594-595
torquatus, 209
- Macronectes giganteus, 366-378
- Maine, 422, 490-502
- Manacus
manacus, 345
(manacus) vitellinus, 345
vitellinus, 384
- Management and conservation, 412-420
- Bonasa umbellus, 87-112
- Dendroica kirtlandii, 426
- recent literature on, 298-300, 457-459, 627-628
- Manakin,
Flame-headed, 348-354, 357-362
Red-capped, 348-354, 357-362
- Mareca americana, 588
- Marler, Peter, and William J. Hamilton, III, Mechanisms of animal behavior (rev.), 439-440
- Marsh Wren, Long-billed, 118-120, 589-591
- Maryland, 534
- McKinney, Frank, review by, 284-286
- Meadowlark, Eastern, 265
- Measurements, see Weights and—
- Megaceryle alcyon, 212
- Melanitta perspicillata, 384
- Meleagris gallopavo, 113-114
- Melospiza
georgiana, 118-119, 315
melodia, 119-120, 205-214, 385, 423
- Mengel, Robert M., review by, 606
- Metabolic rate,
Eugenes fulgens, 34-48
Lampornis clemenciae, 34-48
- Mewaldt, L. Richard, see American Ornithologists' Union, Proceedings
- Mexico, 49-60, 169-172, 503-528
- Micropalama himantopus, 128-130
- Migration (see also Orientation and—),
Accipiter gentilis, 186-187
Dendroica chrysoparia, 115
Grus canadensis, 277-278
recent literature on, 161-162, 300-301, 628-629
Steganopus tricolor, 221-236
- Miles, Merriam L., An addition to the avifauna of the United States:
Myiarchus stolidus sagrae, 279
- Miller, Alden Holmes, memorial to, 192-202
- Minnesota, 87-112
- Mississippi, 274
- Mitu
salvini, 347-348
tomentosa, 347-348
- Mniotilta varia, 266-267
- Molothrus ater, 422, 601-602
- Molts and plumages,
Hesperiphona vespertina (gynander), 268-269

- Neochloe brevipennis*, 128
Penelopina nigra (downy young), 171-172
phalaropes, 241-242
Psaltiriparus, 506-528
Pygoscelis adeliae, 61-71
 various parulids, 241-242
Xenospiza baileyi, 55-59
 Monroe, Burt L., Jr., reviews by, 442, 442-443
 Monroe, Burt L., Sr., see American Ornithologists' Union, Treasurer's report
 Montana, 220-244
 Moreau, R. E., correspondence, 634
 Morse, Douglass H., Competitive relationships between *Parula* Warblers and other species during the breeding season, 490-502
 Mortality,
 Accipiter gentilis, 188-189
 insignificant, 604-605
 Mosby, Henry S. (ed.), Wildlife investigational techniques (rev.), 283-284
Motacilla flava, 277
 Mountford, C. P. (ed.), Records of the American-Australian Scientific Expedition to Arnhem Land (rev.), 436-437
 Mueller, Helmut C., and Daniel D. Berger, Some observations and comments on the periodic invasions of Goshawks, 183-191; Turkey Vultures attack living prey, 430-431
 Murray, Bertram G., Jr., see Ford, Norman L., and—
Myiarchus stolidus sagrae, 279
Myiodynastes maculatus, 384
Myzomela sp., 385
 Nelson, J. Bryan, comments on "A comparative study of some social communication patterns in the *Pelecaniformes*" (corresp.), 307-308
Neochloe brevipennis, 128
Neospelia galapagoensis, 384
 Nest and nest site (see also Breeding),
 Capella paraguayae, 421-422
 Charadrius alticola, 130-131
 Chondrohierax uncinatus, 598-601
 Haliaeetus leucocephalus, 602-603
 Xenospiza baileyi, 52-55
 Nesting success (see also Breeding),
 Anous stolidus, 430
 Diomedea immutabilis, 429
 Parus atricapillus, 274
 Pterodroma hypoleuca, 430
 New Jersey, 260-261
 New Mexico, 503-528
 Nighthawk, Common, 72-86
 Nuthatch, Red-breasted, 496
Nuttallornis borealis, 384
Nyctanassa violacea, 529-533
Nycticorax nycticorax, 212, 384, 529-533

Oceanites oceanicus, 366-378
Oceanodroma homochroa, 384
Oena capensis, 384
Oenanthe oenanthe, 277
Oldsquaw, 122-123
 Ontario, 187, 602
Opisthocomus hoazin, 384
Oporornis formosus, 498
Oreophasis, 361-362
 Orientation (see also Migration and—),
 Passerina cyanea, 309-342, 463-489
Ortalis, 361-362, 384
Ostrich, 571-587
Otus asio, 384
 Ouellet, Henri, The distribution of the Cerulean Warbler in the Province of Quebec, Canada, 272-274
 Ovarian development, *Steganopus tricolor*, 223-224
 Ovenbird, 266-267, 538-540
 Owen, D. F., Animal ecology in tropical Africa (rev.), 441-442
 Owl,
 Great Horned, 433, 603
 Hawk, 215
 Saw-whet, 425
 Short-eared, 278
 Oystercatcher, Black, 384-387

Pachyptila, 366-378
Pachyrhamphus polychropterus, 384
 Pacific Ocean, 366-378, 426-430, 591-594
Pagodroma nivea, 366-378

- Paleotringa*
 littoralis, 260-262
 vagans, 260-262
 vetus, 260-262
Paleontology, see *Fossils*, and *Taxonomy*
 and—
Palmer, R. S., reviews by, 611-612, 612
Panama, 343-365
Parasites, see *Diseases* and—
Parasitism, social, 422, 597-598, 601-602
Parke, Kenneth C., editor of reviews,
 135-146, 280-287, 434-443, 606-615;
 reviews by, 435-436, 436-437, 612-
 613, 613-614
Partridge, William H., obituary, 305-306
Parula americana, 490-502
Parus
 atricapillus, 274, 423, 496
 bicolor, 266-267
 carolinensis, 266-267, 498
Passer domesticus, 212, 263, 275-277,
 381-387, 431
Passerculus sandwichensis, 277
Passeriformes, 214
Passerina cyanea, 309-342, 463-489
Pelagodroma marina, 366-378
Pelecaniformes, 214
Pelecanoides, 366-378
Pelecanus
 erythrorhynchus, 384
 occidentalis, 212
Penelope, 361-362
Penelopina, 361-362
 nigra, 169-172
 n. nigra, 169-170
Penguin,
 Adelie, 61-71
 Chinstrap, 366-378
 Magellan, 366-378
Penney, R. L., *Molt in the Adelie Pen-*
 guin, 61-71
Perdix perdix, 212
Petrel,
 Antarctic, 366-378
 Blue, 366-378
 Bonin Island, 430
 Cape, 366-378
 diving, 366-378
 Giant, 366-378
 Great-winged, 366-378
 Kermadec, 591-593
 Murphy's, 591-593
 Scaled, 366-378
 Silver-gray, 366-378
 Snow, 366-378
 Solander's, 593
 South Trinidad, 591-594
 Tahiti, 591-592
 White-chinned, 366-378
 White-faced, 366-378
 White-headed, 366-378
 Wilson's, 366-378
Pettingill, Olin Sewall, Jr., A 36-year-
 old wild Herring Gull, 123
Phalacrocorax
 auritus, 384
 penicillatus, 384
Phalaenoptilus nuttallii, 384
Phalarope,
 Northern, 227-242, 277
 Red, 229-242, 277
 Wilson's, 128-130, 220-244
Phalaropus fulicarius, 229-242, 277
Phaps elegans, 384
Phasianus colchicus, 114, 212
Pheasant, *Ring-necked*, 114, 212
Philacte canagica, 278
Phillips, Allan R., see *Dickerman*, Robert
 W., et al.
Phoebe, *Eastern*, 601
Phoebetria palpebrata, 366-378
Photoperiodic responses, *Sturnella magna*,
 265
Physiology (see also *Bioenergetics*, *En-*
 doocrinology, *Heart rates*, *Metabolic*
 rates, *Proteins*, *Respiratory rates*,
 Temperature, *Water economy*, and
 Weight changes),
 recent literature on, 162-163, 302-303,
 459, 630-631
Piciformes, 214
Pigeon, *domestic*, 215
Ptilerodius pileatus, 529-533
Pipilo erythrophthalmus, 266-267, 385
Pipit,
 Red-throated, 278
 Water, 278
Pipra
 chloromeros, 349-354
 erythrocephala, 345, 348-354, 357-362
 e. erythrocephala, 349-354
 (*erythrocephala*) *rubrocapilla*, 349-354

- mentalis, 345, 348-354, 357-362
- m. ignifera, 354, 358
- mentalis minor, 350-354, 358
- Pipreola reifferii, 384-387
- Plover,
 - American Golden, 128-130, 277
 - Puna, 130-131
- Plumage, see Molts and—
- Pluvialis dominica, 128-130, 277
- Podica
 - senegalensis petersii, 431-432
 - s. senegalensis, 431-432
- Podiceps
 - caspicus, 384
 - grisevena, 278
- Podilymbus podiceps, 384
- Poephila gouldiae, 604-605
- Polyplectron emphanum, 384
- Population, see Ecology and—
- Population dynamics,
 - Accipiter gentilis, 183-191
 - Bonasa umbellus, 87-112
 - Haliaeetus leucocephalus, 602-603
 - Pygoscelis adeliae, 66-68
- Poliophtila caerulea, 266-267, 423-424
- Polyandry, phalaropes, 238-239
- Polygamy, Parus atricapillus, 274
- Predation by,
 - Accipiter gentilis, 185-186
 - A. tachiro, 408
 - Circus cyaneus, 114
- Predation on,
 - Anous stolidus, 430
 - Bonasa umbellus, 185-186
 - Diomedea immutabilis, 426-430
 - Phasianus colchicus, 114
 - Pterodroma hypoleuca, 430
 - Sterna fuscata, 430
 - Textor cucullatus, 408
- Prion, 366-378
- Procellaria aequinoctialis, 366-378
- Procellariiformes, 214
- Proteins, eye-lens, 203-219
- Protonotaria citrea, 498
- Psaltriparus
 - melanotis, 503-528
 - m. lloydi, 503-528
 - minimus, 503-528
 - m. lloydi, 503-528
 - m. cecaumenorum, 503-528
 - m. santaritae, 526
 - plumbeus, 503-528
- Psittaciformes, 214
- Pterodroma
 - arminjoniana, 591-594
 - a. arminjoniana, 593-594
 - a. heraldica, 593-594
 - hypoleuca, 430
 - inexpectata, 366-378
 - lessonii, 366-378
 - macroptera, 366-378
 - neglecta, 591-593
 - r. rostrata, 591-592
 - solandri, 593
 - ultima, 591-593
- Pteroglossus
 - torquatus, 345
 - (torquatus) sanguineus, 345
- Puffinus
 - carneipes, 366-378
 - carneipes creotopus, 373
 - diomedea borealis, 278-279
 - griseus, 366-378
- Pycnonotus finlaysoni, 384-387
- Pygoscelis
 - adeliae, 61-71
 - antarctica, 366-378
- Quay, W. B., Comparative survey of the
anal glands of birds, 379-389
- Quebec, 272-274
- Quiscalus quiscula, 118
- Raitt, Ralph J., Relationships between
black-eared and plain-eared forms of
bushtits (Psaltriparus), 503-528
- Redhead, 544-559, 588
- Redstart, American, 120, 423-424
- Regulus
 - calendula, 493-501
 - satrapa, 493-501
- Respiratory rate,
 - Colaptes auratus, 131-132
 - Cyanocitta cristata, 131-132
 - Dumetella carolinensis, 131-132
 - Empidonax flaviventris, 131-132
 - Hylocichla mustelina, 131-132
 - Toxostoma rufum, 131-132
 - Turdus migratorius, 131-132

- Rhynchocyclus**
 brevirostris, 345, 354-362
 b. brevirostris, 355, 362
 b. hellmayri, 355, 362
 b. pacificus, 355-358, 362
 b. pallidus, 355, 362
 olivaceus, 345, 354-362
 o. bardus, 356-358
 o. mirus, 356-357
Richmondia cardinalis, 212
Ricklefs, Robert E., Relative growth,
 body constituents, and energy con-
 tent of nestling Barn Swallows and
 Red-winged Blackbirds, 560-570
Roadrunner, 597-598
Robbins, Chandler S., Bertel Bruun, and
 Herbert S. Zim, Birds of North
 America, a field guide to identifica-
 tion (rev.), 282-283
Robbins, Chandler S., see **Short, Lester**
 L., Jr., and—
Robin, 131-132
 Forest, 595
Root, Richard B., and Ruth M. Yarrow,
 A predator-decoy method for cap-
 turing insectivorous birds, 423-424
Salpinctes o. obsoletus, 602
Sandpiper,
 Baird's, 277
 Least, 128-130
 Pectoral, 128-130, 277
 Rock, 277
 Semipalmated, 128-130
 Stilt, 128-130
 Western, 277, 383-384
Sauer, E. G. Franz, and E. M. Sauer,
 Yawning and other maintenance ac-
 tivities in the South African Ostrich,
 571-587
Sauer, E. M., see **Sauer, E. G. Franz,**
 and—
Sayornis phoebe, 601
Scaup, Lesser, 588
Schnell, Gary D., Environmental in-
 fluence on the incidence of flight in
 the Rough-legged Hawk, 173-182
Schwartz, Paul, Vibra el llano (record-
 ings) (rev.), 609-611
Seiurus
 aurocapillus, 266-267, 538-540
 motacilla, 538-540
 noveboracensis, 534-543
Setophaga ruticilla, 120, 423-424
Sex and age groups (identification of),
 Passer domesticus (juvenals), 275-277
Psaltiriparus, 506-508
Shearwater,
 Black-tailed, 366-378
 Cory's, 278-279
 Flesh-footed, 366-378
 Sooty, 366-378
Short, Lester L., Jr., and Chandler S.
 Robbins, An intergeneric hybrid wood
 warbler (*Seiurus* × *Dendroica*), 534-
 543
Shrike, Northern, 277
Sibley, Charles G., and Alan H. Brush,
 An electrophoretic study of avian
 eye-lens proteins, 203-219
Sitta canadensis, 496
Skua, 366-378
Smith, Susan M., A case of polygamy in
 the Black-capped Chickadee, 274
Smith, W. John, Communication and
 relationships in the genus *Tyrannus*
 (rev.), 606-609
Smithe, Frank B., The Birds of Tikal
 (rev.), 440-441
Snipe,
 Common, 128-130, 278
 Paraguay, 421-422
Snyder, Dorothy E., The birds of Guyana
 (rev.), 435-436
Somateria mollissima borealis, 135
South America, 343-365
South Dakota, 588
Sparrow,
 House, 263, 275-277, 381-387, 431
 Savannah, 277
 Sierra Madre, 49-60
 Song, 119-120, 205-214, 423
 Swamp, 118-119, 315
 White-throated, 211-212, 315, 390-395
Speotyto
 cunicularia, 384
 megalopeza, 116
Sphecotheres sp., 384
Spheniscus magellanicus, 366-378
Spofford, Walter R., review by, 437-439
Starling, 431
Steganopus tricolor, 128-130, 220-244

- Sterna*
 fuscata, 430
 hirundo, 220-221
 Stewart, Paul A., Diving schedules of a Common Loon and a group of Oldsquaws, 122-123
 Stickley, Allen R., Jr., see Lesser, Frederick H., and—
 Stilt, Hawaiian, 130
Stiphornis
 erythrothorax, 595
 e. mabirae, 595
 e. xanthogaster, 595
 Stokes, Allen W., Behavior of the Bobwhite, *Colinus virginianus*, 1-33
Streptopelia decaocto, 212
 Strigidae (genera indet.), 117
 Strigiformes, 214
Struthio camelus australis, 571-587
Sturnella magna, 265
Sturnus vulgaris, 431
Sula
 bassana, 307-308
 dactylatra, 428
Surnia ulula, 215
 Swallow, Barn, 560-570
 Szijj, Laszlo J., Notes on the winter distribution of birds in the western Antarctic and adjacent Pacific waters, 366-378
- Tate, James, Jr., Cowbird removes warbler nestling from nest, 422
 Tattler, Wandering, 278
 Taxonomy and paleontology, recent literature on, 163-164, 303-304, 459-461, 631-633
 Taxonomy of,
 Cochlearius cochlearius, 529-533
 Crax alberti, 346-348
 C. rubra, 346-348
 Pipra chloromeros, 352-354
 P. erythrocephala, 352-354
 P. (e.) rubrocapilla, 352-354
 P. mentalis, 352-354
 Psaltiriparus, 503-528
 Rhynchocyclus brevirostris, 355-357
 R. olivaceus, 355-357
 various Central and South American forms, 343-365
 Tyrannus melancholicus couchii, 607-609
 various parulid genera, 541-542
Xenospiza baileyi, 49-60
 X. b. sierrae, 51
- Telmatornis*
 affinis, 260
 priscus, 260-262
 rex, 260-262
Telmatodytes
 palustris, 118-120
 p. griseus, 589-591
 Temperatures, body,
 Eugenes fulgens, 34-48
 Lampornis clemenciae, 34-48
 Tern,
 Black, 220-221
 Common, 220-221
 Noddy, 430
 Sooty, 430
 Territoriality,
 Agelaius phoeniceus, 118-120
 Aythya americana, 555
 Bonasa umbellus, 87-112
 Dendroica tigrina, 120-121
 Melospiza georgiana, 118-119
 Melospiza melodia, 119-120
 Parus atricapillus, 274
 phalaropes, 239-241
 Quiscalus quiscula, 118
 Telmatodytes palustris, 118-120
 Textor cucullatus, 396-411
 Testicular development,
 Steganopus tricolor, 222
 Sturnella magna, 265
 Texas, 503-528, 598-601
 Textor
 c. cucullatus, 408
 c. graueri, 396-411
Thalassoica antarctica, 366-367
Thamnophilus doliatus, 384
 Thrasher, Brown, 131-132
 Thrush,
 Gray-cheeked, 278
 Wood, 131-132, 423
 Timken, Richard L., Canvasback male participating in a Redhead courtship party, 588
Tinamotis pentlandi, 384
 Titmouse, Tufted, 266-267

- Tordoff, Harrison B., An interesting case of mortality in the Gouldian Finch, 604-605
- Torpor,
Eugenes fulgens, 34-48
Lampornis clemenciae, 34-48
- Totanus
flavipes, 128-130
melanoleucus, 128-130
- Towhee, Rufous-sided, 266-267
- Toxostoma rufum, 131-132
- Turdus migratorius, 131-132
- Turkey, 113-114
- Turnstone, Ruddy, 277
- Tyler, C. (translator and editor), Wilhelm von Nathusius 1821-1899 on avian eggshells (rev.), 612
- Tyrannus melancholicus subspp., 607-609
- Urban, Emil K., and Lawrence H. Walkinshaw, The Wattled Crane in Ethiopia, 263-264
- Uria aalge, 384
- Uruguay, 421-422
- Utah, 133-134
- Verheyen, R. K., Oologica Belgica (rev.), 611-612
- Vermivora
chrysoptera, 537
pinus, 537
- Vincent, Jack (compiler), Red data book (rev.), 613-614
- Vireo
bellii medius, 274
flavifrons, 498
olivaceus, 498
- Vireo,
Bell's, 274
Red-eyed, 498
Slaty, 128
Yellow-throated, 498
- Virginia, 267-272
- Vocalizations, †
Alectoris chukar, 26-28
Aythya americana, 544-559
Colinus virginianus, 17-28
Lophortyx californicus, 19, 26-28
L. gambelii, 26-28
Parula americana, 497
Penelopina nigra, 170-171
Psaltriparus, 519-520
Steganopus tricolor, 235
Xenospiza baileyi, 59
- Voitkevich, Anatolii A., The feathers and plumages of birds (rev.), 280-281
- Vulture, Turkey, 430-431
- Wagtail, Yellow, 277
- Walkinshaw, Lawrence H., see Urban, Emil K., and—
- Warbler,
Black-and-white, 266-267
Black-throated Blue, 120
Black-throated Green, 422, 494-501
Blackburnian, 494-501
Blackpoll, 120, 534-543
Blue-winged, 537
Cape May, 120-121, 534-542
Cerulean, 272-274
Golden-cheeked, 115
Golden-winged, 537
Hooded, 498
Kentucky, 498
Kirtland's, 425-426
Magnolia, 494-501
Myrtle, 120, 494-501
Palm, 120, 537, 539-540
Parula, 490-502
Pine, 266-267
Prothonotary, 498
Swainson's, 498
Yellow, 120
Yellow-throated, 266-267
- Warner, Dwain W., see Dickerman, Robert W., et al.
- Water economy,
Eugenes fulgens, 34-48
Lampornis clemenciae, 34-48
Telmatodytes palustris griseus, 589-591
Zonotrichia albicollis, 392-393
- Waterthrush,
Louisiana, 538-540
Northern, 534-543
- Watson, George E., Fulvous Tree Duck observed in the southern Sargasso Sea, 424
- Weaverbird, Village, 396-411

- Weigand, John P., Cock pheasants rout Marsh Hawk, 114; Ferruginous Hawk attacks Great Horned Owl, 433
- Weight changes,
Agelaius phoeniceus (nestlings), 560-570
Hirundo rustica (nestlings), 560-570
Telmatodytes palustris griseus, 589-591
Zonotrichia albicollis, 390-395
- Weights and measurements (see also Eggs, description and measurements),
Belanopterus chilensis (nestlings), 121-122
Bugeranus carunculatus, 263
Dendroica striata, 535
Eugenes fulgens, 34-35, 38-39
Hesperiphona vespertina, 268-270
Lampornis clemenciae, 34-35, 38-39
Pipra chloromeros, 352
P. e. erythrocephala, 352
P. mentalis minor, 352
Psaltiriparus, 523
Pygoscelis adeliae, 61-71
Seiurus novaboracensis, 535
S. novaboracensis \times *Dendroica striata*, 535
Steganopus tricolor, 222
Tyrannus melancholicus, 608
Xenospiza baileyi, 50
- Weismann, Carl, and Allen Keast, Australian bird songs (rev.), 442
- Weller, Milton W., Courtship of the Redhead (*Aythya americana*), 544-559
- Weston, Francis M., obituary of Ellison Adger Williams, 306
- Wheatear, 277
- Widgeon, American, 588
- Williams, Ellison Adger, obituary, 306
- Williams, Lovett E., Jr., Wild Turkeys (*Meleagris gallopavo*) with supernumerary leg spurs, 113-114; see also Lesser, Frederick H., and—
- Willson, Mary F., Notes on the inter-specific behavioral relationships of marsh-nesting passerines, 118-120
- Wilsonia citrina*, 498
- Wing-beat frequencies,
Amazilia verticalis, 37, 43-44
Archilochus alexandri, 37, 43-44
Eugenes fulgens, 37, 43-44
Lampornis clemenciae, 37, 43-44
- Wisconsin, 183-191
- Wolf, Larry L., Another record of active molt in passerine birds, 128
- Wood Pewee, Western, 133-134
- Woodpecker, Downy, 266
- Woolfenden, Glen E., editor of recent literature, 147-164, 288-304, 444-461, 616-633; A specimen of the Golden-cheeked Warbler from Florida, 115
- Wren, Rock, 602
- Wright, H. E., Jr., and David G. Frey (eds.), The Quaternary of the United States (rev.), 606
- Xema sabini*, 278
- Xenops rutilans*, 384
- Xenospiza*
baileyi, 49-60
b. baileyi, 51
b. sierrae, 51
- Xiphocolaptes promeropirhynchus*, 384
- Xiphorynchus picus*, 384
- Yarrow, Ruth M., see Root, Richard B., and—
- Yellowlegs,
 Greater, 128-130
 Lesser, 128-130
- Yellowthroat, 120 (2 references), 498
- Zimmerman, Dale A., *Agapornis fischeri*, *Lybius guifsobalito*, and *Stiphornis erythrorhox* in Kenya, 594-595
- Zonotrichia albicollis*, 211-212, 315, 390-395
- Zugunruhe, 309-342, 463-489

